SUBJECT INDEX

A

AAL toxin, 237-38, 246
Abutilon mosaic virus, 378-79
Acaricide
  mango malformation control, 221-22, 229
Acarids
  mango malformation, 221-22
Acceptable Daily Intake
  fungicide, 407
Aceria mangiferae
  role mango malformation, 221-22
Acholeplasma laidlawii
  PCR diagnostics, 100
ACT toxins role zinc ions, 281
Actinorhodin, 278
Adenylates, 201
Adjuvants, 482, 484
Aerial stem rot
  potato early dying, 115
Age
  role Dutch elm tree disease, 334
Aggressiveness
  role pathogen evolution, 307, 311, 315-16
Agricultural experiment stations
  potato breeding programs, 119
Agrobacterium, 288
  movement through soil, 448
  radiobacter
    against *A. tumefaciens*, 430
  radiobacter strain K-84, 53-54, 59, 65, 69, 74-75
  radiobacter strain K-1026, 69
  rhizogenes
    role auxin, 259-61, 65
  tumefaciens, 255, 265
    biocontrol, 53-54, 56, 59, 65, 74-75
    PCR diagnostics, 90
    role auxin, 257-59, 267
  tms-1, 256
Agrostis avenacea
  toxins, 154-55
Airborne diseases
  mango malformation, 223
D-Alanine, 290
Aldicarb, 117
Alleles
  see Fungal vegetative compatibility
Alliance for a Clean Environment, 435
Allomyces, 49
Allozyme electrophoresis, 157
Alternaria, 276
  alternata f. sp. *lycopersici*, 244
  citri
    host-selective toxins, 281
American Phytopathological Society, 38-39
  Office of International Programs, 20
Aminoadipyl-cysteinyl-valine synthetase, 293
2-Aminopyrimidine ethirimol, 413
Ampelomyces quisqualis
  role biocontrol powdery mildew, 55, 479, 487
Anguina
  agrostis, 162-63
  funesta
    see Toxigenic *Clavibacter*/*Anguina* associations
  tritici, 162
Animal pathology
  fumonisins, 240-44
  see also Toxigenic *Clavibacter*/*Anguina* associations
Annosus root rot of pine
  biocontrol with *P. gigantea*, 56, 65
Annual ryegrass toxicity
  see Toxigenic *Clavibacter*/*Anguina* associations
Anoxia, 201
Antagonists
  see biocontrol
Athelia bombacina
  biocontrol agent, 477
Antiauxins, 227
Antibiotics
  peptide, 289
  production
    fungal vegetative compatibility, 131
  resistance markers, 454, 459, 461, 499
  see also Introduced microorganisms for biological control
Aoe
  HC-toxin, 292-93
  HTS1, 296
Apple chlorotic leafspot virus, 378-79
Apple mildew
  fungicides, 411-12
Aquatic phycomycetes
  see Weston, W. H. (1890-1978)
Arboreta
  breeding for Dutch elm tree disease, 330-31
Armillaria luteobubalina, 316
Arnold Arboretum, 341
Arthropods
  biocontrol agents, 55, 61
  Artichoke yellow ringspot virus, 392-93
Ascochyta blight, 511
Asian elms
  see Breeding elms for Dutch elm tree disease resistance
Aspergillus
  vegetative compatibility, 131-33
  nidulans, 131, 278
Athow, Kirk, 39
Audio signals
  root image processing, 210
Augmentation, 55
aux genes, 259-60
Australia
  stem rusts, 368-69
Auxin
  role mango malformation, 221, 224, 227
  synthetic, 227
Auxin and disease development, 253-73
  auxin responses, 263-67
    genetic tumors, 263-64
    signal transduction and gene expression, 264-67
  concluding remarks, 268-69
  introduction, 253-54
  production in nontumorigenic bacteria, 262-63
    Pseudomonads and *Xanthomonads*, 262-63
    Rhizobia and *Bradyrhizobia*, 262
  production in tumorigenic bacteria, 255-61
    Agrobacterium rhizogenes, 259-61
    Agrobacterium tumefaciens, 257-59
    Erwinia herbicola, 261
    Pseudomonas syringae pv. *savastanoi*, 255-57
  role in plant disease, 267-68
Auxin-binding proteins, 264-65
Avian toxicity
  pesticides, 436
Avirulence
  potato cyst nematodes, 176, 179
    gene, 183-87
Avocado sun blotch, 394, 396
avr, 282, 284

B

Bacillus
  cereus, 62
  subtilis
    seed biocontrol, 60, 460
    storage rot biocontrol, 430
  thuringiensis
    gene, 54
    insect biocontrol, 57, 430-32
    turned on production, 432
Backcrossing, 36-37, 263
  in linkage studies, 185
  isogenization, 143

Bacteria
  auxin production, 255-63
  PCR detection, 86
Bacteria in the rhizosphere, 441-62
  community effects, 451-54
  conclusions, 461-62
  introduction, 441-42
  microbial marking systems, 454-61
    immuno-detection, 457-58
    inaZ, 455-56
    lacZ, 455
    luz, 456
    rRNA, 456-57
    soil-DNA extraction/PCR amplification, 458-61
  persistence in environment, 449-51
  rhizosphere environment, 442-49
    bacterial transmission, 448-49
    bacterial transport, 449
    entry into plants, 446-47
    insect-mediated movement, 447-48
    movement: soil, 445-46
    movement of soilborne microorganisms, 445-49
    occupation of foliar tissue, 447
    population dynamics, 443-45
Bacteriophage
  see Toxigenic *Clavibacter*/*Anguina* associations
Bark beetle
  Dutch elm tree disease, 331
Barley mildew
  gene flow, 362
Barley mosaic mottle virus, 378-80
Barley yellow dwarf virus, 378, 380
  PCR diagnostics, 92
Barrage, 133
Bean yellow dwarf virus, 378, 380
Beans
  biocontrol white mold, 482
Beaumont, A, 27
Beaumont periods, 29
Bee vectoring
  biocontrol, 475, 485-87
Beet western yellow virus, 378, 380
Beijing Institute for Plant Protection, 68
Benomyl, 405
  control mango malformation, 226-28
Berkeley, M.J., 25
Bialophos, 430
Biocontrol, 429-30
  nematode vectors
    annual ryegrass toxicity, 164-65
  potato early dying, 117, 119-20
  risk assessment, 504-5
  root diseases, 204
  weeds
    see also weeds
  see also Introduced microorganisms for biological control
Biocontrol in cropping systems, 473-92
  concluding remarks, 488-89
  experimental, 474-83
    beans, 482
    cucumbers, 479
    field crops, 481-83
    fruit crops, 474-77
    grape, 474-75
    greenhouse crops, 479-80
    onion, 478
    orchard fruits, 476-77
    rubber crops, 477-78
    spruce, 479-80
    strawberry and raspberry, 475-76
    turfgrasses, 480-81
    vegetable crops, 478
  introduction, 473-74
  methods and strategies, 483-88
    adjuvants, 484
    bee vectoring, 485-87
    contact application, 485
    general considerations, 483
    production in crop environment, 487
    sprays, dusts, pellets, 485-86
    treatment timing, 487-88
BINAB T, 60, 65
Biological impact and risk assessment, 495-511
  assessments of biological impact, 501-5
    biological control of weeds, 504-5
    crop loss assessment for research priorities, 501-3
    microorganisms and plants modified by rDNA techniques, 505
    pathogen-risk assessment in quarantine, 503-4
  impact assessment methodology, 506-15
    benefits assessment, 515
    conclusion, 515-17
    databases, 511-13
    data generation, 507-8
    decision-support systems, 514
    endpoint specification, 507
    expert panels, 509-10
    expert systems, 510
    field tests, 508-9
    geographic information systems, 513-14
    impact prediction, 510-11
    microcosms, 507-8
    models, 510
    published sources, 507
    risk determination, 506-7
    risk determination: system assessment, 506
    risk evaluation, 514-15
    risk identification, 506-7
  impact assessment components, 498-501
    process, 498-99
    terminology, 500-1
  impact assessment development, 496-98
  introduction, 495-96
Biotechnology
  elm improvement, 346
  see also genetic engineering
Black dot, 115
Black root rot of tobacco
  suppression by *P. fluorescens*, 287
Blackberry
  control, 507
  with *P. violaceum*, 515
Blackleg, 115
Blueberry leaf mottle virus, 392, 394
Blueberry shock ilarviruses, 392
Boot's Pure Drug Company, 25-26
Bordeaux mixture, 10, 27-28, 404
Borlaug, Norman, 5
Botanical gardens
  breeding for Dutch elm tree disease, 330-31
Botryotinia fuckeliana, 415
Botrytis
  aclada
    biocontrol, 478
  cinerea
    biocontrol, 71
    biocontrol on grape, 474-75
    biocontrol on orchard fruits, 476-77
    biocontrol on raspberry, 475-76
    biocontrol on spruce, 479-80
    biocontrol on strawberry, 475-76
    multisite fungicides, 411
  squamosa
    biocontrol, 478, 487
Bouisol, 24-25
Bradyrhizobia
  role auxin, 262
Boyce thompson Institute for Plant Research, 337
Bradyrhizobium japonicum
  movement in soil, 446
  persistence, 450
Breeding
  for resistance
    see Caldwell, R.M., pioneer; Virulence genes in potato cyst nematodes
Breeding elms for Dutch elm disease resistance, 325-53
  American experience, 337-40
    breeding American elm, 339-40
    second generation breeding, 340
    wild germplasm screening, 337-39
  cultivar release, 344-45
    public acceptance, 344-45

Eurasian experience, 340-44
Chinese elm hybrids, 343-44
germplasm, 343
germplasm resources, 329-31
arboreta and botanic gardens, 330-31
resistance, 329-30
wild populations, 330
goals, 328-29
divergent views, 329
introduction, 325-26
philosophy, 328-28
administrative support, 328
public response, 327
prospects, 345-46
biotechnology, 346
future cultivar releases, 346
future germplasm base, 345-46
resistance testing, 331-37
controlled environment screening, 334-35
developing models, 332
field screening, 333
host-pathogen-vector system, 331-32
mansonones, 337
pathogen variation, new races, 332
resistance mechanisms, 335
seasonal susceptibility, 333-34
temperature effects, 336-37
British Mycological Society, 27-28, 30
Brown, William, 25
Bt
see *Bacillus thuringiensis*
Bunchy top
mango malformation, 218, 220
Burning
nematode control, 163

C

^{14}C-radio labeled compound
pesticide testing, 425-26
Caenorhabditis
briggsae, 175
elegans, 175
Caldwell, R.M., pioneer, 33-40
administration, student relationships, 39
contributions, honors, 39-40
education, 33-35
outreach, , 38-39
program development, 35-38
Calgene, 431
Captan, 226, 475
Carbofuran, 436
Carbon
use
fluorescent pseudomonads, 443
roots, 197, 199-200-2, 204
Carbon dioxide
root systems, 210
Carboxin, 412
Carrot motley dwarf, 378, 380-81
Carrot mottle virus, 380
Carrot redleaf virus, 378, 380-81
Carson, Rachel
Silent Spring, 408, 424
Cartwright, W.B., 37
Castrators, 306-8, 312
Cauliflower mosaic virus, 378, 381
Cell death
host-selective toxins, 286
Cell wall degrading enzymes
Dutch elm tree disease, 336
Ceratocystis ulmi
see Breeding elms for Dutch elm tree disease resistance
Cercospora personatum, 484
Cereal leaf beetle, 37
Cereals
breeding
see Caldwell, R.M., pioneer
growth
effect leaf diseases, 30
Chalcone synthase, 267
Chandler, Roger, 5
Chelated iron
see iron
Chelsea Polytechnic, 24
Chemical control, 403-21
achievements, 404-7
agricultural output, 406
efficacy, 405-6
fungicides, 404-5
toxicology, ecotoxicology, 406-7
agricultural problems, 410-14
adverse effects on crops, useful organisms, 411-12
resistance to fungicides, 412-14
prospects, 416-17
public concerns, 408-10
current situation, 409-10
historical perspective, 408-9
outlook, 410
research priorities, 414-16
application technology, 416
biochemistry and molecular biology, 414
epidemiology, 416
genetics, 415-16
summary, 417-18
Chemicals
see Pesticide environmental safety
Cherry necrotic rusty mottle virus, 378, 381-83
Chestnut blight, 131
Chlamydocin, 282, 296
Chiral synthesis, 416
Chitinases, 268
Chloropicrin, 117
Chlorosis
potato early dying, 112
Chlorothalonil, 476
Chondrillina juncea
biocontrol, 515
Chondrostereum purpureum
biocontrol agent, 504, 507, 514-15
Chromatic structure
ligation-mediated PCR, 100
Chrysanthemum stunt
394, 396
Church, Valerie, 29
Clavibacter, 159
nontoxigenic for biocontrol, 164-65
tritici, 157
toxicus
see Toxigenic *Clavibacter*/*Anguina* associations
Ciba-Geigy, 432
CIMMYT, 5
Circonemella xenoplax, 452
cis regulatory regions, 258
Citrus psorosis virus, 378, 381-82
Cladosporium fulvum
avr peptide, 282, 284
tomato system, 184
HR, 284
CLIMEX, 511
Cloning
elm trees, 326
HTS1, 290-92
strategies
fungal vegetative compatibility, 134-36
see also cDNA, genetic engineering
Coccinellidae, 411
Cochliobolus, 276
carbonum
HC-toxin, 276, 281, 288-89
HC-toxin synthetase, 290
host-selective toxins, 279, 284, 290, 296
race-specific pathogenicity, 291
TOX2, 278
heterostrophus
host-selective toxins, 279, 295
T-toxin, 276
lagenarium
induces resistance, 430
victoriae
host-selective toxins, 279
victorin, 276-77
COLLEGO, 430, 500, 506
Colletotrichum, *505*
coccodes, 115
gloeosporioides
biocontrol agent 430, 475, 500, 508
see also COLLEGO
Color
mycelial, 316
Composts
in biocontrol, 430, 475, 500, 508
Compton, Leroy, 35-36
Computer
BBS
field tests transgenic organisms, 510
databases
biological impact, 511-14
pest surveillance, 497
DSSAT, 514
multimedia
root systems, 210

Conference of Advisory Plant Pathologists, 29
Connecticut Agricultural Station, 44
Consultive Group for International Agricultural Research, 5
Corn
see Fumonisins, mycotoxins produced by *Fusarium* species
Cornell University, 3-4, 337
Corynebacterium, 157
rathayi
taxonomy, 157
Corynetoxin poisoning
see Toxigenic *Clavibacter/Anguina* associations
Cox, A.E., 30
Conithyrium minitans
biocontrol of *S. sclerotiorum*, 55
Crash phase
pathogen survival thresholds, 311-15
Cronartium
ribicola, 28, 56
strobilinum
biocontrol, 55
Cropping
nematode control, 163-64
Crops
loss assessment, 497, 501-5
management
see Potato early dying
potato
see Potato research and development
price
potato, 7
production
potato, 6-7
protection
see Chemical control; Introduced microorganisms for biological control; Pesticide environmental safety
residue pathogen biocontrol, 484
rotations, 54
potato early dying, 118, 120-21
root disease prevention, 204
yield
endpoint, 507
role fungicides, 406
Crown gall tumors
role auxin, 257-59, 263
Crown rust, 277
Crumenulopsis sororia, 317
Cryphonectria parasitica, 315-16
vegetative compatibility, 131, 133-35, 139
Cryptococcus laurentii
biocontrol agent, 476-77
Cryptoviruses, 376-77, 386-87
Cuba Sugar Club, 46
Cucumber powdery mildew
biocontrol, 479
Cultivars, 196
mango, 225-26
nematode resistant, 173, 176, 180-81
potato
durable resistance, 8-9
early dying prevention, 119
wheat
see Caldwell, R.M., pioneer
see also Breeding elms for Dutch elm tree disease resistance
Culture methods
fumonisin production, 245-46, 258
Cyanide-resistant alternative respiratory pathway, 201
Cylindosporum concentricum
biocontrol agent, 55, 477-78
Cylindrocladium scoparium
Aoe, 296
Cyst nematodes
see Virulence genes in potato cyst nematodes
Cytochrome-oxidase pathway, 201
Cytokinins, 224
see also Auxin and disease development

D

Dartmouth College, 44, 51
Databases
see computer
De Bary, Anton, 43
potato late blight, 1, 13
Debilitators, 306-8
Decomposition
root, 201-2
Decoy crops, 61
Deep Springs College, 3
Defense reactions, 285
role auxin, 266, 268
see also host resistance, host-pathogen interactions
Degradation
cellulose, 50
fungal, 50
pesticides, 426
Delivery systems
pest control, 434
DEVINE, 430
Diabrotica balteata, 448
2,4-Diacetophloroglucinol, 69, 287
1,2-Diachlorophenoxyacetate, 451
Diagnostics
fungal vegetative compatibility, 140-42
see also Polymerase chain reaction diagnostics
Diazinon, 436
Dichlofluanid, 475
2,6-Dichloro-isonicotinic acid, 417
Dickson, J.G., 38
Dicyma pulvinata
biocontrol agent, 55, 477-78, 484
Differentiation
gene flow studies, 358
Diffusible substances
host-selective toxins, 283
Diheterospora chlamydosporia
Aoe, 296
Dihydrozeatin, 224
Diplodia manihotis
biocontrol of, 66
Diploids
partial, 33-34
Disease specificity
see Host-selective toxins
Dispersal
long distance, 514
see also Gene flow in plant pathosystems; Pollen- and seed- transmitted viruses and viroids
Dithiocabamates, 405
Diversity
cereal breeding, 37
fungal vegetative compatibility studies, 136-38
DMI fungicides, 362, 411, 413, 429
DNA
amplification
see Polymerase chain reaction diagnostics
ancient, 96
extraction
soil, 458-61
fingerprinting, 182, 317-18, 360, 362, 364-67, 369
hybridization, 455
markers
see markers
methylation, 414
probes, 122, 499
gene flow studies, 356
protein interactions
ligation-mediated PCR, 100
repeated
C. carbonum, 291
restriction patterns, 159
sequences, 357, 361
see Polymerase chain reaction
vic genes, 135
cDNA, 199
auxin-binding proteins, 265
HTS1, 290
PCR diagnostics, 83, 100
see also cloning, genetic engineering
dsDNA, 101
sequences
role amplification human genes, 89
mtDNA, 90, 139, 356, 365
nuDNA, 356, 365
rDNA, 196, 496
pesticide development, 432
PCR diagnostics, 91, 95, 99
risk assessment, 496, 505
ssDNA
PCR diagnostics, 96
T-DNA, 257
DNAse, 130
Dot blots
potato cyst nematodes, 175
Downy mildew, 46, 412

Drosophila
embryo preservation, 46
melanogaster, 174
simulans, 174
Drought
effect root systems, 196-97
Duncan's multiple range test, 207
Durable resistance
see host resistance
Dusts
biocontrol agent delivery, 485-86
Dutch Breeding Program, 327
Dutch elm disease
see Breeding elms for Dutch elm tree disease resistance
Dutch Health Company, 327
Dwarf bunt of wheat, 511

E

Early dying
see Potato early dying
Ecogen, 432
Ecosystems
see Biological impact and risk assessment; Pathogen populations in natural communities; Pesticide environmental safety; Root dynamics and soil environment
Ecotoxicology
fungicides, 406-7
Ecuadorian Agricultural Development Foundation, 18
Egypt
mango malformation, 218, 221, 225
Electro-Chemical Processes, Ltd., 24-25
Electron microscopy, 159
Electrophoretic markers
see markers
Elicitors
relationship to host-selective toxins, 280, 282-87
Elm Disease Committee, 327
Elm Research Institute, Harrisville, NH 345
Elm trees
see Breeding elms for Dutch elm tree disease resistance
Elm yellows, 338
Embryo
see Pollen- and seed-transmitted viruses and viroids
Emerson, Ralph, 46, 49
Endpoint, 499-500, 507
Enterobacter cloacae, 480
Environment
role seedborne virus transmission, 390
see also Bacteria in the rhizosphere; ecosystems
Environmental protection
fungicide regulation, 407-10
soil fumigation regulation, 117
see also Chemical control; Pesticide environmental safety
Environmental stress
potato early dying, 115
see also Root dynamics and soil environment
Enzyme linked immunosorbent assays
potato cyst nematodes, 175-76
Epicoccum purpurascens
biocontrol agent, 482
Epidemiology
mango malformation, 225-26
methods, 500-1
potato early dying, 120
role fungicide application, 416
see also Pathogen populations in natural communities
Equine leukoencephalomalacia
role fumonisins, 240-41, 243, 248-49
Eriophyes sp.
mango malformation, 221
Erwinia
amylovora
biocontrol of fireblight, 477
hrp genes, 284
insect vectors, 448
PCR diagnostics, 90
carotovora
potato early dying, 115
chrysanthemie
detection, 457
herbicola
auxin production, 256
biocontrol agent, 477
herbicola pv. *gypsophilae*, 261
Erysiphe
graminis, 318
graminis f. sp. *hordei*
gene flow, 362
virulence loci, 363-64
Erythromycin, 278
Escherichia coli, 455
avr, 279
stewartii, 449
tracheiphila
southern corn rot worm, 449
Ethoprop, 117
Ethylene
role mango malformation, 224
Etiology
mango malformation, 220-25
European Economic Community, 18
Evolution
potato cyst nematodes, 175
see also Gene flow in plant pathosystems
Exotic organisms
see Biological impact and risk assessment
Experimental mycology
see Weston, W. H. (1890-1978)
Expert systems
risk assessment, 510
Exposure assessment
pesticides, 428
Extinction
pathogens, 312-13, 359

F

FAO
see United Nations
Farlow, W.G., 43
Farlow Herbarium, 43-44
Fatty acid retention
bacterial cells, 452-54
cluster analysis, 453-54
Federal Food, Drug, and Cosmetics Act
biocontrol agents, 56
Federal Plant Pest Act, 61
Federal Insecticide, Fungicide, and Rodenticide Act
biocontrol agents, 56, 59-61
Fernow, Karl, 3
Fertilization
Dutch elm tree disease, 334
Fibrobacter
detection, 457
Field crops
biocontrol, 881-83
see also crops
FIFRA
see Federal Insecticide, Fungicide, and Rodenticide Act
Flavonoids
induce *nod* genes, 282, 288
phytoalexins, 278
Flood plane staggers, 154, 161-62, 166
Flor, H., 38
Floral
induction, 229
malformation
see Mango malformation
Fluorescent pseudomonads
see pseudomonads
Foliar diseases
biocontrol, 57
see also Biocontrol in cropping systems
forecasting,434-45
Forecasting
fungicide optimization, 414, 434-35
potato blight, 29-30
Fosetyl-Al, 406
Fragment length polymorphisms, 92
Frost injury
use ice minus bacteria, 515-16
Fruit diseases
see Biocontrol in cropping systems
L-Fucose, 442
Fucus, 48
Fumigation
see soil fumigation
Fumonisins, mycotoxins produced by *Fusarium*, 233-50
animal diseases, 240-44
equine leukoencephalomalalacia, 240-41
experimental liver cancer, 242-43
porcine pulmonary edema, 241-42
historical perspective, 235-38
fumonisins, 236-38

fusarins, 236
moniliformin, 235-36
introduction, 233-35
methods for production and analysis, 245-46
extraction from cultures, 246-47
methods of analysis, 247-48
production in liquid media, 246
production on corn kernels, 245-46
natural occurrence, 238-39
production by *Fusarium* species, 239-40
significance in plant disease, 244-45
summary, 248-49
Fungal
DNA amplification, 87
life cycles
see Fungal vegetative compatibility
pathogens
population genetics, 356
see also Pathogen populations in natural communities
toxins
see Fumonisins, mycotoxins produced by *Fusarium* species; Host-selective toxins
Fungal vegetative compatibility, 127-51
applications, 140-44
diagnostics, 140-42
genetic homogeneity tests, 142-43
isogenization, genetic mapping, 143-44
conclusions and problems, 144-45
general properties, 129-32
Aspergillus, 131
Cryphonectria, 131
Fusarium, 131-32
Neurospora, 130-31
introduction, 127-29
populations, 136-39
parasexuality, 139
structure, 137-38
VCG stability, 139
techniques, 132-36
barrage, 133
direct heterokaryon formation, 132-33
self-incompatibility, 136
mutagenesis and cloning strategies, 134-36
partial diploids, 133-34
Fungicide Resistance Action Committee, 413
Fungicides
bentonite-copper-oxychloride, 25
compared with biocontrol agent, 474-75, 477, 480, 488-89
control
dutch elm disease, 325
mango malformation, 226-28
copper, 24-25, 27
potato foliage, 11-12
see also Chemical control; DMI; Pesticide environmental safety
Fusarium
anthophilum, 240
beomiforme, 240
equiseti
potato early dying biocontrol, 120
graminearum
vic loci, 132
heterosporum, 480
host-selective toxins in wilt diseases, 281
moniliforme
fuml loci, 142
pall loci, 142
role mango malformation, 222, 225
vic loci, 132
see also Fumonisins, mycotoxins produced by *Fusarium* species
moniliforme var. subglutinans
role mango malformation, 222
nygamai, 235, 239-40, 249
oxysporum
enniatin, 278
nonpathogenic populations, 142
role mango malformation, 222, 229
vegetative compatibility groups, 139-40
vic loci mutants, 134
oxysporum f. sp. *apii*, 140
oxysporum f. sp. *asparagi*, 140
oxysporum f. sp.*conglutinans*, 140
oxysporum f. sp. *cubense*, 140-41
oxysporum f. sp. *legenariae*, 61
oxysporum f. sp. *lycopersici*, 140
oxysporum f. sp. *melonis*, 140
population studies
vegetative compatibility groups, 140
proliferatum, 239-40, 242, 245, 249
role mango malformation, 222-24, 226-27
sambucinum
biocontrol of, 70
subglutinans, 316
fumonisins, 240
moniliformin, 236
role mango malformation, 222, 224, 228-29
vegetative compatibility groups, 129, 131-33, 137, 140
see also Fumonisins, mycotoxins produced by *Fusarium* species
Fusicoccum amygdali, 283

G

Gaeumannomyces
graminis
PCR diagnostics, 90, 94, 96-98
graminis var. *tritici*
biocontrol, 58-59, 67-68
PCR diagnostics, 100
Galactinol synthase, 200
Galacturonases, 261
Galls
see Toxigenic *Clavibacter/Anguina* associations
Gallun, R.L., 37
Gardner, M.W., 38
Gardeners' Chronicle and Agricultural Gazette, 25
Gas chromatography, 452
Gaussian model epidemiology, 500, 514
Gel electrophoresis
2-D, 177-78, 180-82
Gene flow in plant pathosystems, 353-73
detecting gene flow, 360-62
direct methods, 360-62
indirect methods, 361
gene flow, 357-60
differentiation, 358
extinction and recolonization, 359-60
selection, 358-59
genetic variation, 355-57
electrophoretic markers, 355-57
traditional markers, 355
introduction, 353-55
gene dynamics, 354-55
plant pathosystems, 362-69
barley mildew, 362-64
conclusions, 369-70
late blight of potato, 366-69
late blight of potato: diversity, 367
late blight of potato: migrations, 367
rice blast, 368
Septoria tritici leaf blotch of wheat, 364-66
stem rusts in Australia, 368-69
Gene-for-gene concept, 284, 355
see also Virulence genes in potato cyst nematodes
Genes
disease-specificity
see Host-selective toxins
expression
PCR diagnostics, 100
mRNA, 460
role auxin, 266-67
see also genetic engineering
flow, 173, 178-79, 182, 188
see also Gene flow in plant pathosystems
organ specific, 199
pool similarities
potato cyst nematodes, 179, 183, 188

single-gene alterations, 310
see also avirulence; Virulence genes in potato cyst nematodes
Genetic
diversity, 131
in natural pathogen populations, 306-8
potato cyst nematodes, 1766
drift, 173, 178-79, 310-11, 314, 354, 359
homogeneity tests
vegetative compatibility, 142-43
markers
see markers
mapping
vegetative compatibility, 143-44
migration, 310-11, 314
tumors
role auxin, 263-64
see also Gene flow in plant pathosystems
Genetic engineering
avirulence gene isolation, 180
carbohydrate utilization, 200
hormone synthetic genes, 268
host resistance, 9, 14
microbial biocontrol agents, 64, 68, 432
see also Bacteria in the rhizosphere
risk assessment, 505
vegetative compatibility, 130-31
see also biotechnology; cloning; cDNA; rDNA
Genetics
see Fungal vegetative compatibility
Geographic Information Systems, 513-14
Germplasm, 36
potato host resistance, 119
see also Breeding elms for Dutch elm tree disease resistance
Gibberella
fujikuroi, 240, 244-45
mating populations, 142
virulence, 245
zea, 484
Gibberellins, 278
biosynthesis, 411
Gliocladium
roseum
biocontrol agent, 475-76, 480, 486
virens, 60
biocontrol agent
potting mix, 65
P. ultimum, 430
Globodera
pallida
see Virulence genes in potato cyst nematodes
rostochiensis
see Virulence genes in potato cyst nematodes
Glomus vesiculiferum, 95
-1,3-glucanase, 261
Glucanases, 268
-Glucosidase, 260-61
-Glucosides, 282
Government regulation
see regulation
Grafting
veneer
role mango malformation, 219-20, 228
Gramicidin synthetase, 294
Graniticin, 278
Grape diseases
biocontrol, 474-75
Grass seedheads
see Toxigenic *Clavibacter*/*Anguina* associations
Gray mold, 413
Green-manure treatments
potato early dying, 120
Green Revolution, 19
Greenhouse crop diseases
biocontrol, 479-80
Gregory, P.H., 26
Groundwater
contamination
pesticides, 427, 429, 433
quality, 215
Growth
regulators, 287
role mango malformation, 223-24
root
see Root dynamics and soil environment
substances
Dutch elm tree disease, 336

H

Hairy-root tumor inducing factor, 259-61, 263
Harpin, 285
Harvard University, 43, 46-50
Hatschek, Emil, 24
HC-toxin reductase, 297
HC-toxin synthetase, 290, 293
HC-Toxins
see Host-selective toxins
Heat treatment
host-selective toxins insensitivity, 286
Helicoma ambiens
Aoe, 296
Helminthosporium leaf spot
mycoherbicides, 515-16
role auxins, 267
Herbicides
nematode reduction, 163-64
see also Pesticide environmental safety
Hessian fly, 37
het loci, 130, 134
Heterobasidion
annosum, 316
vegetative compatibility, 128
Heterodera
glycines, 174-75, 188
rostochiensis, 174
schachtii, 174-75, 188
Heterokaryons
see Fungal vegetative compatibility formation
High Performance Liquid Chromatography 157, 382
Honduran Agricultural Research Foundation, 18
Honey bees
see bee vectoring
Hop stunt, 394, 396
Horizonal transmission
see transmission
Hormonal imbalance
role mango malformation, 221
Hormones
see Auxin and disease development
Host
density
range, 506, 508
C. toxicus, 159
ice minus bacteria, 506
shifts, 310
role pathogen population size, 314
Host resistance
durable
to potato late blight, 8, 11-12
genes
role pathogen populations, 315
induced, 430-31
mangos
to mango malformation, 25-26
potato early dying, 119
potatoes, 4
durable, 8, 172-73, 187-88
horizontal, 11
single R-gene, 12
to late blight, 11-12, 16
vertical, 11
rice, 513
single gene, 277-78
wheat
durable, 38
see also Breeding elms for Dutch elm tree disease resistance; Host-selective toxins; Virulence genes in potato cyst nematodes
Host-parasite interactions
see Virulence genes in potato cyst nematodes
Host-pathogen interactions
Dutch elm disease, 325
see also Auxin and disease development; Gene flow in plant pathosystems; Host-selective toxins: Pathogen populations in natural communities
Host-selective toxins, 275-303
conclusion, 297
elicitors resemble toxins, 284-85
introduction, 275
molecular biology of biosynthesis, 289-97
disruption of *HTS1*, 292-93
sequence of *HTS1*, 293-95
TOX2, 295-97
perspectives, 276-84
diffusible substances, 283

incompatible with monogenic specificity inheritance, 277-81
searched for but not found, 281-83
secondary metabolites, 287-88
Host-virus interactions, 390
hrp genes, 284-85
HTS1
cloning, 290
disruption, 292-93
sequence, 293-95
TOX2, 296
Human esophageal cancer
role *F. moniliforme*, 234, 238, 249
Hybrid-selected template amplification, 97
Hybridization patterns
G. pallida, 174
Hylurgopinus rufipes, 331-32
Hyperparasites
biocontrol agent, 477-78, 484
Hypersensitive response, 257, 267
host-selective toxins, 283-85
role auxin, 254, 267
Hypertrophy
role auxin, 253
Hyphae, 222
Hyphal fusion, 129, 133

I

iaa genes
see Auxin and disease development
Ice-minus bacteria, 54, 66
epidemiology, 500
field test permit, 508
frost injury reduction, 515-16
host range, 506
risk assessment, 505, 507, 509
role precipitation, 506
Ice-nucleation active bacteria, 54, 69
*ina*Z, 455-56
Ilarviruses, 376
Image processing
root-soil interface, 206, 209-13
Imazalil, 405
Immuno-detection
rhizobacteria, 457-58
Impact assessment
see Biological impact and risk assessment
*ina*Z
marker rhizobacteria, 455-56
Incompatibility
see Fungal vegetative compatibility
India
see Mango malformation
Indole alkaloid biosynthetic genes
auxin down regulation, 266-67
Indole-3-acetamide, 254-55
Indole-3-acetamide pathway, 261, 267-68
Indole-3-acetic acid
see Auxin and disease development
Indoleacetic acid pathway, 254
P. savastanoi, 257
Indole-3-lactic acid, 258
Indole-3-pyruvate pathway, 261
Indole-3-pyruvic acid pathway, 254, 261, 267-68
Indoxyl-glucoside, 261
Industrial Revolution
role potato, 6
Inoculant biocontrol agents, 57, 64, 450
Inoculation
Dutch elm tree disease resistance, 331-33, 339, 341-42
mango malformation, 222-23
pseudomonad density, 444
slit, 332
soilborne microbes, 449
Inoculum
delivery
see Biocontrol in cropping systems
Dutch elm tree disease, 333
levels
PCR diagnostics, 94
Insect
biocontrol, 57
risk assessment, 506
role
movement bacteria through soil, 447-48
vectors
host density, 315
see also Breeding elms for Dutch elm tree disease resistance
Insecticides
control mango malformation, 226-28
Inspection
mango orchards, 228
Integrated pest management, 432-33
see Chemical control; Potato early dying
Inter-American Potato Program, 5
International Agricultural Research Centers, 17
International Association for Impact Assessment, 517
International Benchmark Sites Network for Agrotechnology, 512-14
International Committee on Taxonomy of Viruses, 379-80, 382, 386
International cooperation
see Potato research and development
International pathotype scheme, 172, 176-77
International Potato Program, 5, 17
International Rice Research Institute, 5, 66, 497, 512
International Society for Plant Pathology, 404
Introduced microorganisms for biological control, 53-80
conclusions, 74-75
discovery, performance testing, scale-up, 63-74
discovery, 64-74
discovery: experimental fermentation/formulation, 70-71
discovery: genetically improved antagonists, 68-70
discovery: naturally occurring antagonists, 65-68
discovery strategies, 64-65
one-time occasional introductions, 55-56
performance testing, 71-72
repeated introductions, 56-63
chemical paradigm, 57-59
registration: appropriate oversight, 61-63
registration avoidance, 61
registration requirements, 59-63
requirements: FIFRA, 60-61
requirements: U.S., 59-60
scale-up, 72-74
IPM
see integrated pest management
Irish Potato Famine, 4, 14
Iron
chelated
mango malformation, 221
Irrigation management
potato early dying, 118-19
Isogenization
vegetative compatibility, 143-44
Isolation procedures
fumonisins, 238
Isozymes
gene flow studies, 356
pathogen population monitoring, 317
Israel
mango malformation, 226-27

J

Journal of Agricultural Research, 45

K

Keitt, G.W., 38
Killers, 306-8
Killing reaction
vegetative compatibility, 130
Koch's postulates, 140-41
Kodiak, 60
Komada's medium, 141

L

*lac*ZY markers
pseudomonads, 443-44, 447, 455
Laetisaria fuciformis, 481
Large, Ernest Charles, phytopathometry pioneer, 23-31

engineer, 24-25
personal details, education, 24
plant pathologist, mycologist, 27-31
writer, 26-27
Large, Gladys May Unwin, 24, 26
Large, Michael, 30
Laviolette, Francis, 39
Leaf spot disease of maize
HC-Toxin, 282, 292
Leafhopper-transmitted disease, 221
Leesing, Rudolf, 24
Legume viruses, 376, 378, 380
Ligase chain reaction, 99
Limonomyces roseipellis, 483
Listeria
LCR assay, 99
monocytogenes, 101
Lindley, John, 25
Linkage map
nematode avirulence gene, 184-87
Liver cancer
role fumonisins, 242-44
Lolium rigidum
see Toxigenic *Clavibacter/Anguina* associations
Low input sustainable agriculture, 432
Luteoviruses, 379-80, 382
cDNA detection, 85
lux reporter system, 456

M

Magnaporthe grisea, 318
gene flow, 368
Mains, E.B., 35
Maize dwarf mosaic virus, 382
Major, Joanna, 26-27
Malformation
see Mango malformation
Malformin, 223-24
anti-malformins, 228
Mangifera indicia
see Mango malformation
Mangiferin, 223, 226
Mango malformation, 217-32
conclusion, future directions, 228-29
distribution, economic importance, 218
epidemiology and cultivar susceptibility, 225-26
control, 226-28
fungicides, 227
hormones and other growth regulators, 227-28
nutrients, 226
other control measures, 228
pruning, 226
etiology, 220-25
acarological theory, 221-22
fungal theory, 222-25
physiological theory, 220-21
viral theory, 221
introduction, 217
spread and transmission, 219-20
symptoms, 218-19
Mannopine synthase, 259
Mansonones
Dutch elm tree disease resistance, 337
Mapping
potato genome, 188-89
Markers, 499
biometric, 137
electrophoretic markers, 355-58
rhizobacteria populations, 454-61
molecular, 137
pathogen population studies, 315-19
vegetative compatibility groups, 139
see also Gene flow in plant pathogenic pathosystems
mas gene, 259
Mating
compatibility groups
P. infestans, 13
nematode, 184-85
populations
F. moniliforme, 240
G. fujikuroi, 245
Mating-types, 317
loci, 360
vegetative compatibility, 128, 130
Mazur, Peter, 46
Media
fumonisin production, 246
Melampsora lini
persistence, 312-13
Melanoplus sanguinipes, 448
Mendelian genetics, 183-84, 277-78, 367
Metalaxyl, 425
resistance in potato blight, 412
Metapopulations, 308-9
Metham-sodium, 117
Methanol
fumonisin extraction, 246-47
Methyl-bromide, 333
Mexico
P. infestans, 13-14, 367
see also Potato research and development
Michigan State University
Root Image Processing Laboratory, 210-11
Microbial biocontrol
see Introduced microorganisms for biological control
Microbotryum violaceum, 312
Microchips, 206
Microcosm, 500-1, 507-8
Microevolution
see Pathogen populations in natural communities
Migration
Puccinia, 317
see also genetic migration
Millardet, 10
Minirhizotron tubes, 195, 203, 208-9, 212
Models
Dutch elm tree disease, 332
epidemiology, 500-1
extinction and recolonization, 359
fungicide research, 412
pathogen survival, 312
risk assessment, 510
selection for virulence, 183
soil-root system, 213-15
Moisture
monitoring, 499
role
mango malformation, 220-21, 225
potato early dying, 115-16
Moldy corn toxicosis
see Fumonisins, mycotoxins produced by *Fusarium* species
Molecular genetic protocols
PCR, 82
Molecular genetics
vegetative compatibility groups, 144
see also Virulence genes in potato cyst nematodes
Moniliformin, 225, 235-36
Monoclonal antibodies, 175
Monsanto, 431
Moore, W.C., 28
Morphological markers
role pathogen populations, 316
Morton Arboretum, 341
Movement
soilborne microorganisms, 445-49
Mowing
nematode control, 163
Multi-Year Crop Protection Plan, 417
Mutagenesis
vegetative compatibility, 134-36
Mutants
vegetative compatibility, 132-33, 139
Mutator gene, 139
Mycoherbicides
see herbicides
Mycological Society of America, 44, 51
Mycologists
see Large, E.C., phytopathometry pioneer; Weston, W. H. (1890-1978)
Mycoplasmalike organisms
PCR diagnostics, 100
Mycosphaerella graminicola, 415
gene flow, 364-66
Mycotoxicoses
see Fumonisins, mycotoxins produced by *Fusarium* species
Mycotoxins, 406
see also Fumonisins, mycotoxins produced by *Fusarium* species

N

Naegleria lovaniensis, 142
Napthazarines, 225

Natural Agricultural Chemicals Association, 432, 437
Natural communities
see Pathogen populations in natural communities
Necrosis
potato early dying, 112
Nectria
cinnabarina, 344
haematococca
role phytoalexins, 288
Nematicides, 117
Nematodes
DNA amplification, 88
vectors
see Toxigenic *Clavibacter*/*Anguina* associations
see also Introduced microorganisms for biological control; Potato early dying; Virulence genes in potato cyst nematodes
Netherlands
elm breeding, 328
P. serotina, 515
Neurospora
crassa, 130, 139, 414
tetrasperma, 130
vegetative compatibility, 130-34
New England Botanical Club, 51
New York State Seed Improvement Association, 3
ng rol genes, 264
Niederhauser, John S.
. see Potato research and development
nit mutants, 133, 137, 141, 143
Nitrate salts
Nitrogen
root deposition, 202-3
nod genes, 288
Nodulation, 288
Nopaline synthase, 259
nos gene, 259
North American Free Trade Agreement, 18
Northern hybridization, 460
Nucleic acid quantification, 93
Nursery industry, 344-45
Nutrients
role
biocontrol, 484
mango malformation, 223-24, 226
root uptake, 196

O

Oenothera
PCR diagnostics, 100
Oligonucleotide probes, 456
Oncogenes
role auxin, 254, 259
Onion diseases
biocontrol, 478
Oomycin, 287
Ophiostoma ulmi, 313, 315
intercontinental migration, 358
see also Breeding elms for Dutch elm tree disease resistance
Orchard fruits
biocontrol, 476-77
Organic amendments, 54
Organotins, 405
Over-population, 20-21

P

Paraquat
control *A. funesta*, 163
Parasexuality, 314
vegetative compatibility, 139
Patents
elm cultivars, 344
fungicides, 409
Pathogen populations in natural communities
conclusions, 319-20
diversity, 306-8
genetic markers, 315-19
aggressiveness and pathogenicity, 315-16
direct selection, 315-16
highly repeated sequences, RAPDs, RLFPs, 317-18
isozymes, 316-17
morphological, 316
dsRNAs, 318
relative usefulness, 318-19
selectively neutral, near-neutral, 316-18
vegetative compatibility loci, 316
host population size, 311-15
genetic effects, 313-14
numeric effects, 312
pathogen increase, 314
survival thresholds, 311-14
introduction, 305-6
metapopulations, 308-9
patterns, 309-11
expression of variation, 310-11
genetic changes and the demographic cycle, 309-11
numerical fluctuations, 309
sources genetic variation, 309
Pathogenicity
C. toxicus, 158
role pathogen population dynamics, 315-16
see also Host-selective toxins
Pathotypes
potato cyst nematode, 177, 180-83
Patterson, Fred, 35-36
PCR
see Polymerase chain reaction
Pellets
biocontrol agent delivery, 485-86
iso-Pentenyladenine, 223-24
Penicillin, 278
Penicillin, 411
biocontrol agent, 475-76
Peptide
antibiotics, 289
hormones, 287
synthetases, 278, 289, 294
genes 294-95
Periconia circinata
elicitor, 286
PC-toxin, 281
Persistence
soilborne microorganisms in the environment, 449-51
Pesticide environmental safety, 423-39
commercial development, 424-28
ecological toxicity studies, 427-28
environmental behavior testing, 425-26
environmental fate studies, 426-27
exposure assessment, 428
selection criteria: new compounds, 424-25
critical issues, 436-38
avian toxicity, 436
container management, 437
environmental organizations, 437-38
public relations, 436-37
water quality, 436
introduction, 423-24
reducing environmental effects, 429
application technology/timing, 434-35
biological control, 429-30
education, 435-36
formulations and packaging, 433-34
genetic engineering, 431-32
genetic engineering: microorganisms, 432
genetic engineering: plants, 431-32
induced resistance, 430-31
integrated pest management, 432-33
product labeling, 431
screening, 429
traditional chemistry, 429-30
summary, 438
risk assessment, 428
Pesticides
see Chemical control
Pethybridge, G.H., 25
Petriella guttalata Aoe, 296
Phacidium infestans, 314
Phakopsora pachyrhizi, 509
Phelbia gigantea, 56
Phenazine-1-carboxylate
role biocontrol, 58-59, 62, 70, 72
Phenylalanine, 134
Phenylalanine ammonia-lyase, 267
Phenylamides, 412
Phoma tracheiphila
PCR diagnostics, 98
Phosphorus
root deposition, 202-3
Photosynthetic carbon, 200-1

Phragmidium violaceum
biocontrol agent, 515
Phyllachora huberi
microbial biocontrol, 55, 477-78
Phyllosphere
yeasts, 411
Phytoalexins, 287, 406, 410
Phytohormones
see hormones
Phytopathology, 38, 49
Phytopathometry
see Large, E.C., phytopathometry pioneer
Phytophthora
citrophthora
detection, 435
infestans, 28, 311, 406, 412
gene flow, 366-68
mating-type loci, 360
see also potato late blight; Potato research and development
palmivora
biocontrol agent, 430
PCR diagnostics, 100
Phytoseiidae, 411
Pichia guilliermondii
biocontrol agent, 475
Plant-pathogen interactions
see Auxin and disease development
Plant Pathology, 28-29
Plant Pathology Laboratory, Harpenden, 25, 27-28
Plant Quarantine Act, 61
Plasmopara viticola
multisite fungicides, 412
Plum pox potyvirus
PCR diagnostics, 95
Podospora
anserina
vegetative compatibility, 128
vegetative compatibility, 133
Pollen- and seed-transmitted viruses and viroids, 375-402
conventional viruses, 387
conventional viruses: seed transmission, 387-91
cryptoviruses, 386-72
erroneously listed, 378-83
abutilon mosaic virus, 378-79
apple chlorotic leafspot closterovirus Virus, 379
barley mottle mosaic, 379-80
barley yellow dwarf and bean yellow dwarf, 380
beet western yellows luteovirus, 380
carrot motley dwarf, carrot red leaf luteovirus, 380-81
cauliflower mosaic virus, turnip mosaic virus, 381
cherry necrotic rusty mottle virus, 381
citrus psorosis, 381-82
potato leafroll luteovirus, 382
remarks, 382-83
sugarcane mosaic potyvirus, 382
how many are there?, 376-78
introduction, 375-402
names that appear only once in the literature, 383, 386
pollen as horizontal transmission vector, 391-94
synonyms, 384-86
viroid transmission, 394-97
Polymerase chain reaction, 182, 319, 455, 499
gene flow studies, 356-57, 361
peptide synthetase genes, 295-96
rhizosphere, 458-61
Polymerase chain reaction diagnostics, 81-109
introduction, 81-82
other applications, conclusions, 99-101
phytopathogen and microorganism detection, 83-99
additional amplification procedures, 99
other considerations, 96-97
primer selection, 83-93
sample preparation, 97-99
sensitivity and quantification, 93-95
Polymorphism, 317
Polypogon monspeliensis
C. toxicus infection, 154
life cycle, 162
Poplar
transgenic, 505
Population
density
P. penetrans, 121
V. dahliae, 115, 121
dispersal
potato cyst nematode, 173
dynamics, 511
P. infestans, 12
genetics
see Gene flow in plant pathosystems
studies
fungal vegetative compatibility, 136-40, 144-45
nematode, 172
see also Bacteria in the rhizosphere; Pathogen populations in natural communities
Porcine pulmonary edema
role fumonisins, 241-42, 248-49
Postharvest biocontrol, 57
grapes, 475
Potato
bromoxynil-resistant, 431
genome mapping, 188
H1 resistance gene, 173, 176, 179-83
hairy, 9
Potato Association of America, 112
Potato cyst nematodes
PCR diagnostics, 90
see also Virulence genes in potato cyst nematodes
Potato early dying, 111-126
disease etiology, 111-16
background, 111-12
environmental influences, 115-16
pathogens, disease interactions, 112-15
symptoms, effects on yield, 112
IPM systems, 120-22
management strategies, 116-20
biocontrol, 119-20
crop rotation, 118
irrigation management, 118-19
soil fumigation, 117
Potato blight, 412
see also Large, E.C., phytopathometry pioneer
Potato late blight, 511, 513
see also *Phytophthora infestans*; Potato research and development
Potato leafroll virus, 382
Potato spindle tuber virus, 394
Potato research and development: John Niederhauser, 1-21
background, 2-6
international cooperation, 5
potato late blight, 4-5
potato work, 3-4
why agriculture?, 2-3
why plant pathology?, 3
food crop, 6-10
disease and pest control, 8-9
future, 8-10
past, 6
present, 6-8
seed production, 9-10
international cooperation, 15
introduction, 1-2
PICTIPAPA, 15-16
potato late blight, 10-14
durable resistance, 11-12
Mexican connection, 13-14
population stabilization and hunger, 19-21
over-population, 20-21
poverty, 20
war, 20
Potyviruses
cDNA detection, 85-86
Pratylenchus
crenatus
potato early dying, 113
neglectus
potato early dying, 113
penetrans
see Potato early dying
scribneri
potato early dying, 113
PRECODEPA, 16-19
national foundations, 18-19
private sector cooperation, 18
regional centers, 19
Preece, T.F., 29

Premature death
see Potato early dying
Production
fumonisins, 239
on corn kernels, 245-46
L-Proline, 290
HTS1 disruption, 292
Proteases, 130
Poverty, 20
Powdery mildew, 316, 413
biocontrol, 55
Probenazole, 405
rice blast control, 417
Prochloraz, 413
Programa Internacional Cooperativo para Tizon tardio de PAPA, 15-16
Programa Regional Cooperativo de Papa, 16-19
Propiconazole, 429
Propionic acid, 484
Prune dwarf virus, 392
Pruning
control mango malformation, 226
Dutch elm tree disease, 334
wound protection, 57
Prunus necrotic ringspot virus, 385, 392-93
Prunus serotina
biocontrol, 504, 507, 514-15
Pseudocercosporella herpotrichoides, 411
Pseudogenes
ng rol, 264
Pseudomonads
fluorescent
role biocontrol, 66, 69, 204-5, 443-44, 451
hazardous waste cleanup, 441
movement in soil, 448
role auxin, 262-62
Pseudomonas
aureofaciens, 287
detection, 457
markers, 455
movement in soil, 448
aureofaciens strain L11, 443-44, 447, 450
cepacia, 430, 448, 450, 459
biocontrol agent, 476
fluorescens, 62
biocontrol *P. ultimum*, 430
Dagger G, 59-60
fireblight, 477
movement in soil, 446
strain 2-79, 58-59
suppression black root rot, 287
gladioli, 61
glycinea, 254
pisi, 263
role auxin, 256
putida, 62
movement in soil, 446
xylE, 458
savastanoi, 254
role auxin, 256, 260-61
solanacearum, 268
PCR diagnostics, 90, 93, 98
syringae, 263
xylE, 458
see also ice-nucleation active bacteria
syringae pv. *phaseolicola*
monitoring in rhizosphere, 456
ornithine carbamoyl transferase, 280
syringae pv. *savastanoi*
role auxin, 255-57, 267
syringae pv.*syringae*, 254
host-selective toxins, 278, 281-82
syringae pv. *tomato*, 284
syringolide, 282
Puccinia, 310
chondrillina, 515
coronata, 277
gene flow, 358
striiformis var. *tritici*, 317
Pulse-field gel electrophoresis, 295
Purdue University
Department of Botany and Plant Pathology, 35, 39
USDA Small Grain Research and Breeding Program, 33, 35, 37
Pyrenophora
teres
PCR diagnostics, 98
tritici-repentis, 483, 488
Pyricularia
grisea
gene flow, 318
graminis f. sp. *tritici*
long-distance gene flow, 368-70
oryzae, 412
Pyrrolnitrin, 69, 415
Pythium, 58
biocontrol of, 66, 69

Q

Quantitative
assays, 122
methods
root-soil interface, 194, 205-13
Quarantine, 63, 501, 503-4, 508, 510

R

Random amplified polymorphic DNA, 83, 317-18
gene flow studies, 356-57, 363-64
potato cyst nematodes, 174-75, 182-83
Random genetic drift
see genetic drift
Raper, John, 46
Rapid amplified polymorphic DNA, 317-18
gene flow studies, 356-57
E. graminis, 363-65
Raspberry
biocontrol, 475-76
Raspberry bushy dwarf virus, 379, 392-93
Rat liver carcinogens
role fumonisins, 243, 249
Reagents
PCR, 82
Receptors, 280
Reddick, Donald, 4
Regional Cooperative Potato Program, 16-19
Registration
see Introduced microorganisms for biological control
Regulation
fungicides, 407-9, 417-18
soil fumigation, 117
see also Introduced microorganisms for biological control; Pesticide environmental safety
Repeat induced point mutation, 414
Residues
fungicide in food, 409-10, 416
Resistance
to fungicides, 411-414
see also host resistance
Respiration
root, 201
Restriction enzyme analysis, 92
Restriction fragment length polymorphisms, 139, 174-75, 317-18
gene flow studies, 356, 360-61, 364-65
Rhizobacteria
see Bacteria in the rhizosphere
Rhizobium
auxin, 262
biocontrol agent, 63
leguminosarum
movement in soil, 445
PCR diagnostics, 90
movement in soil, 445
nod factors, 279, 282, 288
Rhizoctonia
solani, 411
biocontrol, 69, 480-81
Rhizosphere
fungicide effects, 411
see also Bacteria in the rhizosphere; Introduced microorganisms for biological control; Root dynamics and soil environment
Rhizotrons, 208
Rhynchosporium secale, 311
Rice blast, 497, 513
gene flow, 368
Rice cultivar IR36, 497
host resistance, 513
Risk assessment
fungicides, 408
pesticides, 428
potato early dying, 121
see also Biological impact and risk assessment
RNA
polymerase, 99
apoproteins, 266
viruses
PCR detection, 89-90
dsRNA, 101, 131

markers, 318
role pathogen aggressiveness, 315-16
mRNA, 460
amplification, 89
giardin, 95
in maize roots, 199
PCR diagnostics, 100
rRNA genes, 91, 99
classification microorganisms, 456-57
sRNA
amplification, 89
RNAse, 130
Rockefeller Foundation
Mexican Agricultural Program, 4-5
research priorities, 502
rol genes, 260-61
Root dynamics and soil environment, 193-218
carbohydrate utilization, 199-202
carbon, 200-2
introduction, 193-94
modeling the system, 213-15
nitrogen and phosphorus, 202-3
carbon and nitrogen decomposition, 202-3
quantification of root system morphology, 205-13
destructive sampling, 206-7
minirhizotrons, 208-9
nondestructive sampling, 208-9
spatial variability, 206-7
quantitative image analysis, 209-13
image processing: automated production level, 210-13
root distribution patterns, 194-99
plasticity, 196-99
root health and function, 203-5
Roots
exudates, 414-115
stock
mango, 220
see also Bacteria in the rhizosphere
Rothamsted Experiment Station, 499
Rubber tree diseases
biocontrol, 477-78
Rust fungi
local extinction, 312
northern latitudes, 310
resistance to penetration, 38

S

Safety
see Pesticide environmental safety
Salmonella
PCR diagnostics, 95
typhimurium, 236
Samborski, D.J., 38, 45-46
Sampling
root systems
destructive, 206-7
nondestructive, 208-9
Sclerospora, 45-46
graminicola, 45
graminis, 45
philippinensis, 45
Sclerotina minor
biocontrol, 55, 64
Sclerotinia sclerotiorum
biocontrol, 482
Scolytus multistriatus Marsham
Dutch elm tree disease, 331-32
Screening
herbicides, 432
pesticides, 424-25, 429
Seale-Hayne Agricultural College, 27
Sears, E.R., 38
Seed gall forming nematodes
see Toxigenic *Clavibacter*/*Anguina* associations
Seedborne
see Pollen- and seed-transmitted viruses and viroids
Seedheads
see Toxigenic *Clavibacter*/*Anguina* associations
Seeds
germinating
biocontrol, 57
production
potato, 9-10
treatments, 434
Self incompatibility
heterokaryon, 136
Septoria
nodorum, 37, 411
tritici, 37, 311, 318
Sequence Characterized Amplified Regions, 356
Serology, 157-58
Setosphaeria turcica, 281
Sewage
PCR diagnostics, 98
Sex ratio
mango, 219
Sexual recombination, 310, 317, 366
Shands, R.G., 34
Shay, Ralph, 39
Signal transduction pathway, 199
Signals
root, 197-99
transduction
auxin responses, 264-66
see also elicitors
Slatkin's models, 359
Sludge
PCR diagnostics, 98
Smut, 309, 312
Snow mold
biocontrol in Washington, 73
Snyder, W.F., 34
Soil environment
see rhizosphere; Root dynamics and soil environment
Soil fumigation
potato early dying, 117, 121
Soil water pressure
role potato early dying, 116
soilborne plant pathogens, 223, 203-4
see also Bacteria in the rhizosphere
Soils
fate pesticides, 426-28, 433
moisture
Dutch elm tree disease, 333-34
role mango malformation, 220-21
suppressive
Dutch elm tree disease, 333-35, 343
see also Introduced microorganisms for biological control
see also rhizosphere
Solanum
demissum
source potato resistance, 8, 11
berthaultii, 9
tuberosum
see potato
Solubility toxins, 283-84
Solvent extraction
fumonisins, 246-48
South Africa
mango malformation, 218, 226
South America
potato cyst nematodes, 172, 174
potato origins, 9
South Dakota State University, 33
Southern corn root worm, 448-49
Southern corn leaf blast, 497
Sowbane mosaic virus, 392
Soybean rust epidemic models, 511, 513
SOYRUST, 511
Sparrow, Frederick, 46
Spatial variability, 200-7
Specificity
see Host-selective toxins
Sphaerotheca fuliginea
biocontrol agent, 479
Sphingolipid metabolism, 244
Sphingosine, 237, 244
Sporidesmium sclerotivorum
biocontrol, 64
with *Sclerotina minor*, 55
Sprays
biocontrol agent delivery, 485-86
Spruce
biocontrol *B. cinerea*, 479-80
sss gene, 266-67
Statistics
F-statistics, 361
Stegophora ulmea, 343
Stem rusts
gene flow, 368-69
Stephanoascus
flocculosus, 479
rugulosus, 479
Sticker compounds
enhance biocontrol, 484
Stomata opening
role cytokinins, 260

Strawberry diseases
  biocontrol, 475-76
Streptomyces hygoscopius, 430
Stress
  see environmental stress
Strictosidine synthase, 267
Sucrose metabolism
  root systems, 200
Sucrose-phosphate synthase, 200
Sudangrass
  potato early dying biocontrol, 120
Sugarcane mosaic, 378, 382
Sulfolobus acidocaldarius, 93
  DNA polymerase, 97
Suppressive soils
  see soils
Survival pathogen, 311-14
Susceptibility
  role auxin, 254
Sussman, Alfred, 46
Sydney University, 30
Syringolide, 282
Syringomycin, 278, 282
Syringotoxin, 278, 281
Systematic fungicides
  see Chemical control; fungicides
Systematic infection, 307
Systemin, 287
Systems Analysis Rice Production Program, 512

T

Target
  DNA
    see Polymerase chain reaction diagnostics
  RNA, 97
Taxonomy
  Corynebacterium, 157
  virus, 377
Temperature
  role seedborne virus transmission, 390
Temperature stress, 461
  role
    Dutch elm tree disease, 333-34, 336-37, 339
    mango malformation, 225
    potato early dying, 115-16
Tentoxin, 280
Tetracenomycin, 278
Thaxter, Roland, 43-44
Thermococcus litoralis
  polymerase, 97
Thermus
  aquaticus
    see Polymerase chain reaction diagnostics
  thermophilus
    polymerase, 97
Thin layer chromatography, 247-48
Thiram, 405
Thresholds
  fungicide application, 416
  pathogen survival, 311-14
Tillage, 481
Time-series analysis, 499
Tobacco etch potyvirus, 382
Tobacco mosaic tobamovirus, 390
Tobacco mosaic virus
  induced resistance to
    in tobacco, 431
    in tomato, 505
Tobacco streak virus, 392-93
tol locus, 130
TOX genes, 279, 289-91, 293, 295-97
Toxic principle, 224]
Toxicity
  see Chemical control; Pesticide environmental safety
Toxigenic *Clavibacter/Anguina*, 151-67
  concluding remarks, 166
  corynetoxin poisoning, 155-57
    animal pathology, 156
    animal symptoms, 155-56
    toxicology, 156-57
  introduction, 153-55
  management, 162-66
    agronomic methods, 163-64
    biological control, 164-65
    identification, 162-63
    nematode control during cropping, 163-64
    nematode control in pastures, 163
    nematode parasitic fungi, 165
    nontoxigenic *clavibacter* spp., 164-65
    plant parasitic fungi, 164
  nematode vectors, 159-62
    annual ryegrass toxicity, 160-61
    flood plane staggers, 161-62
    life cycle, 160-62
    taxonomic status, 159-60
  new developments, 165-66
    A. funesta resistant ryegrass, 165
    protecting the animal, 165-66
  other vectors, 162
  toxigenic bacterium, 157-59
    isolation and identification, 158
    pathogenicity, 158
    plant symptoms, 157-58
    taxonomic status, 157
    toxin production and role of bacteriophage, 158-59
Toxins
  AL-toxin, 280
  Dutch elm tree disease, 336
  PC-toxin, 281, 286
  T-toxin, 276, 282, 295
  see also Host-selective toxins
Transgenic
  microorganisms
    see Bacteria in the rhizosphere
  plants
    hormone synthetic genes, 268
  see also genetic engineering
Transactions of the British Mycological Society, 26
Transmission
  horizontal, 377, 391-94
  mango malformation, 219-20
  see also Pollen- and seed-transmitted viruses and viroids
Trap crops, 61
Tree breeding
  see Breeding elms for Dutch elm tree disease resistance
Triadimefon, 429
Trichoderma, 61, 411
  harzianum, 60
    in composts, 65
  harzianum/polysporum
    biocontrol wood decay, 60
  viride
    biocontrol agent, 474-76
    endoxylanase, 284
Trichothecene mycotoxins, 234-35
Tricyclazole, 405
Triphragmium ulmariae, 313
Tropical plant pathology, 45-46, 50
Tropical Plant Research Foundation, 46
Tryptophan, 253, 255, 257
Tryptophan decarboxylase, 267
Tryptophan monooxygenase, 255-56
Tuberculin maxima, 56
Tumorigenicity
  see Auxin and disease development
Tungro virus, 502
Tunicaminyluracil toxicosis
  see Toxigenic *Clavibacter/Anguina* associations
Tunicamycin
  relationship corynetoxins, 156-57
Turfgrass diseases
  biocontrol, 480-81
Turnip mosaic virus, 378
Typhula
  incarnata, 480
  ishikariensis, 480
  phacorrhiza, 480
Tyrosine, 134

U

Ulmus
  see Breeding elms for Dutch elm tree disease resistance
Ultraviolet light, 139
  analysis fumonisins, 247-48
Uncinula necator
  biocontrol, 487
  DMI, 411
United Fruit Company, 50
United Nations
  Environment Program, 514
  Food and Agriculture Organization, 19
United Kingdom
  Conservation Foundation, 345

Ministry of Agriculture and Fisheries, 25
United States
Army, 50
Department of Agriculture, 44-45
Animal and Plant Health Inspection Service, 61, 497
ARS, 507, 512
Dutch elm tree disease research, 327, 341
National Agricultural Pathogen Information Service, 512
pest surveillance database, 497
Office of Cereal Investigations, 45
potato breeding programs, 119
World Plant Pathogen database, 512
Environmental Protection Agency
biocontrol agent regulation, 56, 59, 61, 443
databases, 512
field test permits, 508
pesticide regulation, 423, 425, 432-33
National Biological Impact Assessment Program, 507, 509-10
National Research Council, 409
University of Arizona
Maricopa Agricultural Center, 19
University of London Battersea Polytechnic, 24
University of Wisconsin, 33-34

V

Vascular browning
potato early dying, 112
Vavilov, N.I., 13
Vegetable diseases
biocontrol, 478
Vegetative
malformation
see Mango malformation
compatibility
analysis, 113
loci, 316
see also Fungal vegetative compatibility
Venturia inaequalis
biocontrol, 477, 484
Verhulst logistic growth curve, 28
Verticillium
albo-atrum
PCR diagnostics, 91, 94
dahliae
PCR diagnostics, 91, 94, 99
nematode biocontrol, 165
see also Potato early dying
Vesicular-arbuscular fungal
DNA, 91
rRNA genes, 95
Vesicular-arbuscular mycorrhizae, 197
vic loci
see Fungal vegetative compatibility
Victorin, 276, 280, 282, 286, 295
Video
root-soil studies, 205, 207-9
Virulence, 311, 355, 358
barley resistance gene, 362
diversity in *P. infestans*, 366
fungal vegetative compatibility populations, 138
Gibberella fujikuroi, 245
O. ulmi
role temperature, 336
see also Auxin and disease development
Virulence genes in potato cyst nematodes, 177-92
avirulence gene characterization, 183-87
gene-for-gene relationship, 183-84
linkage map, 184-85
identification of pathotype via gene pool similarities, 176-83
breeding for resistance predicting, 179-81
concept, 177-79
international pathotype scheme, 176-77
resistant cultivar predicting, 181-82
identification of *G. Rostochiensis*, *G. Pallida*, 174-76
diagnostic assays, 175
morphological and molecular evolution, 174-75
soil sample diagnosis, 176
introduction, 171-72
predicting resistance, 172-73
Viroids
cDNA amplification, 84
see also Pollen- and seed-transmitted viruses and viroids
Viruses
DNA detection, 84-85
role mango malformation, 221, 225
see also Pollen- and seed-transmitted viruses and viroids

W

War, 20
Water
Dutch elm tree disease, 334
flow
root-soil interface, 197
pressure
role potato early dying, 116
quality
pesticides, 436
uptake
roots, 196, 214
Water potential
role root density, 197-98
Weather factors
databases, 512
GIS, 514
Weed invasion prediction, 513
biocontrol organisms, 497, 504-5, 510
see also biocontrol
Wellhausen, Edwin, 5
Western Reserve University, 44-45
Weston, W.A.R. Dillon, 28
Weston, W.H. (1890-1978)
back to Harvard, 46-50
retirement, 50
teacher, 47-50
war years, 50
early years, 44-45
recognition, 51
tropical plant pathologist, 45-46
Wheat breeding
see Caldwell, R.M., pioneer
Wheat diseases
biocontrol, 483
climate data, 513-14
stripe rust, 499
take-all
suppression, 287
see also *Gaeumannomyces graminis* var. *tritici*
Whetzel, Herbert H., 3
Wilson, Aphra, 25
Wisconsin Agricultural Experiment Station, 327
Wisconsin elm research
see Breeding elms for Dutch elm tree disease resistance
World War II, 50
Wounding
invasion of roots by bacteria, 447
IPA pathway, 268
PR proteins, 267
role
tumor formation, 254, 264
Wright's Island model, 360-61
Writing, 48
E.C. Large, 26-27

X

Xanthogaleruca luteola, 343
Xanthomonads
role auxin, 262-63
Xanthomonas
campestris pv. *campestris*
PCR diagnostics, 93
campestris pv. *citri*
PCR diagnostics, 90, 95
campestris pv. *manihotis*
biocontrol of, 66
campestris pv. *vesicatoria*
PCR diagnostics, 90, 93
xylÆ, 458

Y

Yeasts
  biocontrol agents, 475, 482
Yield
  decline
    mango malformation, 218
    see also Potato early dying
    winter wheat, 499

Z

Zaumeyer, W.J., 34, 38
Zinc, 281
  role
    mango malformation, 223, 226
    phenazine production *P. fluorescens*, 70
Zineb, 405